PATTERN GLASS

by EUROGLASS Corp.

SAINT-GOBAIN

7 a
Eu

PATTERN GLASS

ARCHITECTURAL FREEDOM
IN HANDLING LIGHT, SPACE AND TEXTURE
WITH PATTERN GLASS

From the Gothic window to the Crystal Palace to the United Nations Building, glass has paced the inventiveness and creative flair of the architect. Saint-Gobain glass has served the builders and architects of Europe since 1665 A. D. Today, the contemporary achievements of its great tradition of skilled craftsmanship are available in the United States through the Euroglass Corporation.

Pattern glass has the versatility to carry out your most imaginative solutions to the architectural problems of enclosure, natural or artificial lighting, pattern, texture and design. And it has the utility of reasonable cost, permanence, and freedom from maintenance. Euroglass pattern glass admits 85 to 90 per cent of available light, diffusing it evenly without glare or harsh contrasts. It provides privacy without a sense of isolation, and gives textural interest in a complete range of traditional and contemporary patterns suitable for structures of every kind.

Forty designs are shown, one or more of which can provide an exciting solution to your design problem.

7 a
Eu

SPECIAL PRODUCTS

The two following patterned glasses are manufactured by the SAINT-GOBAIN group factories in Italy.

Vetro stampato ornamentale N° 9

Figured Rolled N° 9

Dis.9 Buccia di melone

MANUFACTURING : DIMENSIONS

Length : 300 cm - 330 cm (118″ - 130″).
Width : 150 cm (59″).
Thickness : 2/4 mm (19 oz).



Vetro stampato ornamentale N° 86

Figured Rolled N°86

Dis. 86 - Dama.



Figured Rolled N° 22

3/4 mm thick (1/8″)



Figured Rolled N° 50

3/4 mm thick (1/8″)



Figured Rolled N° 73

3/4 mm thick (1/8″)

Figured Rolled N° 77

3/4-4/5-5/6-7/8-10/12 mm thick (1/8″-3/16″-7/32″-9/32″-13/32″ to 7/16″)

PATTERI

PATTERN GLASS

ARCHITECTURA
IN HANDLING
WITH PATTERN

From the Goth
Nations Building,
creative flair of th
the builders and ar
the contemporary
craftsmanship are
Euroglass Corporat

Pattern glass
imaginative solutio
sure, natural or ar
And it has the ut
freedom from mai
85 to 90 per cent
glare or harsh con
of isolation, and g
of traditional and
tures of every kin

Forty designs
provide an excitin

The patterned glasses indicated hereinafter are manufactured by the SAINT-GOBAIN group factories in France and Belgium.



Figured Rolled
N° 8

3/4 mm thick
(1/8″)



Figured Rolled
N° 22

3/4 mm thick
(1/8″)



Figured Rolled
N° 46

3/4 mm thick
(1/8″)

Figured Rolled
N° 50

3/4 mm thick
(1/8″)



Figured Rolled
N° 54

3/4 mm thick
(1/8″)



Figured Rolled
N° 73

3/4 mm thick
(1/8″)



Figured Rolled
N° 76

3/4 mm thick
(1/8″)

Figured Rolled
N° 77

3/4-4/5-5/6-7/8-
10/12 mm thick
(1/8″-3/16″-7/32″-
9/32″-13/32″ to
7/16″)



Figured Rolled
Nº 80

3/4 mm thick
(1/8″)

Figured Rolled
Nº 84

3/4 mm thick
(1/8″)

Figured Rolled
Nº 88

3/4 mm thick
(1/8″)

Figured Rolled
Nº 89

3/4 mm thick
(1/8″)





Figured Rolled
Nº 100

3/4 mm thick
(1/8″)



Figured Rolled
Nº 112

3/4 mm thick
(1/8″)

Figured Rolled
Nº 130

3/4 mm thick
(1/8″)



Figured Rolled
Nº 155

3/4 mm thick
(1/8″)





Figured Rolled
N° 159

3/4 - 4/5 - 5/6 mm thick
(1/8″ - 3/16″ - 7/32″)



Figured Rolled
N° 171

3/4 - 4/5 - 5/6 - 8/9 - 9/10 mm thick
(1/8″ - 3/16″ - 7/32″ - 11/32″ - 3/8″)

Figured Rolled
N° 172

3/4 mm thick
(1/8″)



Klarglas "B"

3/4 mm thick
(1/8″)



Klarglas "C"

3/4 - 4/5 - 5/6 mm thick
(1/8″ - 3/16″ - 7/32″)



Klarglas "D"

3/4 mm thick
(1/8″)



Cathedral "W"

3/4 mm thick
(1/8″)



Fluted N° 1

5/6 mm thick
(7/32″)



S. G. 60

5/6-7/8-9/10 mm thick
(7/32″ - 9/32″ to 5/16″ - 3/8″)



Linear " F "

3/4 mm thick
(1/8″)

Hammered Ordinary

3/4 - 4/5 - 5/6 - 6/7 - 7/8 mm thick
(1/8″ - 3/16″ - 7/32″ - 1/4″ - 9/32″)



Hammered "C"

4/5-5/6 mm thick
(3/16″ - 7/32″)





Ribbed Ordinary Ribs

3/4 - 4/5 - 5/6 mm thick
(1/8″ - 3/16″ - 7/32″)



Ribbed Fine Ribs

3/4 - 4/5 - 5/6 mm thick
(1/8″ - 3/16″ - 7/32″)

RANGE OF MANUFACTURING DIMENSIONS (for most of Pattern Glass sheets)

Lengths : 204 cm - 255 cm - 306 cm (80″ - 100″ - 120″). — Widths : 126 cm - 129 cm (49″ - 50″).
Certain types of pattern glass are manufactured in greater widths, as follows :

FIGURED ROLLED No. 77	-	Thicknesses : 4/5 - 5/6 mm (3/16″ - 7/32″), 153 cm (60″) 5/6 - 7/8 - 10/12 mm (7/32″ - 9/32″ - 13/32″ to 7/16″), 246 cm (97″) (length 450 cm - 177″).
S. G. 60	-	Thicknesses : 5/6 - 7/8 - 9/10 mm (7/32″ - 9/32″ to 5/16″ - 3/8″), 246 cm (97″), (length 450 cm - 177″).
FIGURED ROLLED No. 159	-	Thicknesses : 4/5 - 5/6 mm (3/16″ - 7/32″), 153 cm (60″).
KLARGLAS "C"	-	Thicknesses : 4/5 - 5/6 mm (3/16″ - 7/32″), 153 cm (60″).
HAMMERED "C"	-	Thicknesses : 4/5 - 5/6 mm (3/16″ - 7/32″), 153 cm (60″).

Please consult us for dimensions exceeding those quoted above.

PATTERN GLASS



Gartenklarglas genörpelt
Cast Glass for greenhouses
3, 3.8, 5 mm thick
(1/8″ - 7/32)



″ Cathedral ″ Glass, large hammered
3-4 mm thick
(1/8″)



Figured Rolled Glass, N° 512
3-4 mm thick
(1/8″)



Figured Rolled Glass, N° 523
3-4 mm thick
(1/8″)

The patterned glasses indicated hereunder are manufactured by the SAINT-GOBAIN group factories in Germany.

EUROGLASS Corporation

Gartenklarglas genörpelt
Cast Glass for greenhouses
3, 3.8, 5 mm thick
(1/8″ - 7/32)



“ Gussantik ”
3-4 mm thick
(1/8″)



″ Cathedral ″ Glass, large hammered
3-4 mm thick
(1/8″)



Radial Glass
4-6 mm thick
(3/16″)

Figured Rolled Glass, N° 512
3-4 mm thick
(1/8″)



Figured Rolled Glass, N° 519
3-4 mm thick
(1/8″)



Figured Rolled Glass, N° 523
3-4 mm thick
(1/8″)

Figured Rolled Glass, N° 528
3-4 mm thick
(1/8″)

SPECIAL PRODUCTS

NOMENCLATURE	CHARACTERISTICS			
			STOCK SIZES	
	TINTS	THICKNESSES in mm and inches	WIDTHS in cm and inches	LENGTHS in cm and inches
			about	about
" Butzenglas "	yellow	3-4 (1/8")	126 (49")	201 or 255 (79" or 100")
" Gartenklarglas genörpelt " (Cast Glass for greenhouses)	white	3, 3.8, 5 (1/8") (7/32")		
" Gussantik "	white yellow green	3-4 (1/8")	126 (49")	201 (79")
	blue violet grey	3-4 (1/8")	114/123 (45"/48")	201 (79")
" Cathedral " Glass, large hammered	white	3-4 (1/8")	120/126 (47"/49")	201/210 (79"/83") 252/255 (99"/100")
" Cathedral " Glass	yellow green	3-4 (1/8")	126 (49")	201 (79")
	blue violet grey	3-4 (1/8")	114/123 (45"/48")	201 (79")
Radial Glass	white	4-6 (3/16")	120/126 (47"/49")	210 (83")
Figured Rolled Glass, No. 512	white	3-4 (1/8")	126 (49")	201/210 (79"/83") 252/255 (99"/100")
Figured Rolled Glass, No. 519	white	3-4 (1/8")	126 (49")	201/210 (79"/83")
Figured Rolled Glass, No. 523	white	3-4 (1/8")	126 (49")	201/210 (79"/83") 252/255 (99"/100")
	yellow	3-4 (1/8")	126 (49")	201 (79")
Figured Rolled Glass, No. 528	white	3-4 (1/8")	126 (49")	201/210 (79"/83") 252/255 (99"/100")
Rough Cast Glass hammered	yellow	4-6 (3/16")	126 (49")	360/420 (141"/166")

PATTERN GLASS

GERMAN NOMENCLATURE FRANCE-BENELUX NOMENCLATURE	CHARACTERISTICS						
	TINTS	THICKNESSES		STOCK SIZES			
				WIDTHS		LENGTHS	
		in mm	in inches	in cm	in inches	in cm	in inches
				about		about	
Figured Rolled Glass, No. 514 Figured Rolled N° 22	white	3-4	1/8	126	49	201/210	79/83
″ Butzenglas ″ Figured Rolled N° 46	white	3-4	1/8	126	49	201 or 255	79 or 100
Figured Rolled Glass, No. 520 Figured Rolled N° 50	white	3-4	1/8	126	49	201/210, 252/255	79/83-99/100
Figured Rolled Glass, No. 521 Figured Rolled N° 54	white	3-4	1/8	126	49	201/210	79/83
Figured Rolled Glass, No. 532 Figured Rolled N° 77	white	3-4	1/8	126	49	201/210, 252/255	79/83-99/100
Figured Rolled Glass, No. 536 Figured Rolled N° 89	white	3-4	1/8	126	49	201/210	79/83
Figured Rolled Glass ″ LISTRAL ″ RE 155 Figured Rolled N° 155	white	3-4	1/8	126	49	201/210 or 252/255	79/83 or 99/100
Figured Rolled Glass, No. 560 Figured Rolled N° 159	white	3-4	1/8	126	49	201/210	79/83
Figured Rolled Glass, No. 502 Klarglas « B »	white	3-4	1/8	126	49	201/210, 252/255	79/83-99/100
Figured Rolled Glass, No. 504 Klarglas « C »	white	3-4	1/8	126	49	201/210	79/83
Figured Rolled Glass, No. 505 Klarglas « D »	white	3-4	1/8	126	49	201/210	79/83
″ Cathedral ″ Glass, small hammered Cathedral « W »	white	3-4	1/8	120/126	47/49	201/210, 252/255	79/83-99/100
Fluted Glass Fluted N° 1	white	4-6	3/16	102/126	40/49	210 or 360	83 or 141
		6-8	1/4	102/126	40/49	210 or 360, 420, 450	83 or 141, 166, 177
		8-10	3/8	102/126	40/49	210 or 360, 420, 450	83 or 141, 166, 177
″ Linienglas ST ″ Linear « F »	white	3-4	1/8	126	49	210	83
Rough Cast Glass hammered Hammered Ordinary	white	3-4	1/8	126	49	201/210	79/83
		4-6	3/16	126	49	210 or 360, 420	83 or 141, 166
		6-7	1/4	126	49	360, 420	141, 166
		7-9	11/32	126	49	360, 420	141, 166
		9-10	3/8	126	49	360, 420	141, 166
Rough Cast Glass ribbed Ribbed Ordinary Ribbs	white	4-6	3/16	126	49	210 or 360, 420	83 or 141, 166
		6-7	1/4	126	49	360, 420, 450	141, 166, 177
		7-9	11/32	126	49	360, 420, 450	141, 166, 177
		9-10	3/8	126	49	360, 420, 450	141, 166, 177
Rough Cast Glass fine ribbed Ribbed Fine Ribbs	white	3-4	1/8	126	49	201	79
		4-6	3/16	126	49	210 or 360, 420	83 or 141, 166
Figured Rolled Glass, No. 130 Figured Rolled N° 130	yellow	3-4	1/8	126	49	201, 255	79, 100



" SONOLOR " offices.

" FENWICK " firm
at Saint-Ouen (Seine), France.
Architect : BRUYNEEL.
Photo : PAPILLON.





" SONOLOR " offices
La Courneuve (Seine), France.
Architect : P. BLOCH.
Glazier : S.A.T.A.G.
Photo : BOIGONTIER.

RETURN TO
DESIGN DIV.

PATTERN GLASS creates a feeling of enclosed, airy spaciousness not possible with any other building material. Variety can be achieved by combining it with plate glass, clear or colored, which is also available from Euroglass. Both decorative and functional, it permits the execution of exciting solutions to even the most commonplace architectural problems in residential, commercial, retail, utility, exhibition, institutional, professional and public service buildings.

Write for further information.

Euroglass gives the added luxury of imported pattern glass at competitive cost.

« SOTRADIES », Aubervilliers (Seine), France. Photo : BOIGONTIER.

PATENT OFFICE
MAR 20 1964
DIVISIONS 81 & 82

SOLE REPRESENTATIVE IN THE UNITED STATES :

EUROGLASS CORPORATION

PAN AM BUILDING — SUITE 5312
200 PARK AVENUE — NEW-YORK, N. Y. 10017
TELEPHONE : 212-MO. 1-2800 — CABLE : EUROGLASS
TELEX : EUROGLA 421110 — TWX 212 867 6695

a subsidiary of "Compagnie de SAINT-GOBAIN", 62, boulevard Victor-Hugo Neuilly-sur-Seine, FRANCE

SAINT-GOBAIN
EXPROVER

1, RUE PAUL LAUTERS
BRUSSELS, 5 - BELGIUM

N° 84 Am. - Printed in France - Imp. PÉJOUT, PARIS - 12-1963. - R. C. SEINE 54 B 3953